

10/817,328

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1611bxv

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	AUG 10	Time limit for inactive STN sessions doubles to 40 minutes
NEWS	3	AUG 18	COMPENDEX indexing changed for the Corporate Source (CS) field
NEWS	4	AUG 24	ENCOMPLIT/ENCOMPLIT2 reloaded and enhanced
NEWS	5	AUG 24	CA/CAPLUS enhanced with legal status information for U.S. patents
NEWS	6	SEP 09	50 Millionth Unique Chemical Substance Recorded in CAS REGISTRY
NEWS	7	SEP 11	WPIDS, WPINDEX, and WPIX now include Japanese FTERM thesaurus
NEWS	8	OCT 21	Derwent World Patents Index Coverage of Indian and Taiwanese Content Expanded
NEWS	9	OCT 21	Derwent World Patents Index enhanced with human translated claims for Chinese Applications and Utility Models
NEWS	10	OCT 27	Free display of legal status information in CA/CAPLUS, USPTAFULL, and USPAT2 in the month of November.
NEWS	11	NOV 23	Addition of SCAN format to selected STN databases
NEWS	12	NOV 23	Annual Reload of IFI Databases

NEWS EXPRESS MAY 26 09 CURRENT WINDOWS VERSION IS V8.4,
AND CURRENT DISCOVER FILE IS DATED 06 APRIL 2009.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 08:56:49 ON 25 NOV 2009

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

10/817,328

	ENTRY	SESSION
FULL ESTIMATED COST	0.22	0.22

FILE 'REGISTRY' ENTERED AT 08:57:05 ON 25 NOV 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 23 NOV 2009 HIGHEST RN 1193434-24-0
DICTIONARY FILE UPDATES: 23 NOV 2009 HIGHEST RN 1193434-24-0

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.



REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10817328NEW.str

10/817,328



```
chain nodes :
8 9 11 19
ring nodes :
1 2 3 4 5 6 12 13 14 15 16 17
chain bonds :
2-11 3-9 4-19 6-8 11-12
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 12-13 12-17 13-14 14-15 15-16 16-17
exact/norm bonds :
2-11 3-9 4-19 6-8 11-12
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 12-13 12-17 13-14 14-15 15-16 16-17
isolated ring systems :
containing 1 : 12 :
```

G1:CH3,H

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 8:CLASS 9:CLASS 11:CLASS 12:Atom
13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 19:Atom


10/817,328

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 Me,H

Structure attributes must be viewed using STN Express query preparation.

=> s l1 sss sam

SAMPLE SEARCH INITIATED 08:57:27 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 11421 TO ITERATE

17.5% PROCESSED 2000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

42 ANSWERS


FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 222015 TO 234825
PROJECTED ANSWERS: 3867 TO 5725

L2 42 SEA SSS SAM L1

=> d scan

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, N-(2-bromo-4-methylphenyl)-6-(4-methoxyphenyl)-2-methyl-
MF C19 H18 Br N3 O




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):41

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Oxazolidinone, 3-[6'-[(2,4-dichloro-6-methylphenyl)amino][4,4'-
bipyrimidin]-6-yl]-4-methyl-
MF C19 H16 Cl2 N6 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Thiourea, N-ethyl-N'-[4-[(6-phenyl-4-pyrimidinyl)amino]phenyl]-
MF C19 H19 N5 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzamide, 3-[(6-phenyl-4-pyrimidinyl)amino]-N-[(4-propoxyphenyl)methyl]-
MF C27 H26 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, N-(3-chloro-4-fluorophenyl)-2-methyl-6-phenyl-
MF C17 H13 Cl F N3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzenemethanesulfonamide, 4-[[6-(2-ethoxyphenyl)-4-pyrimidinyl]amino]-N-methyl-
MF C20 H22 N4 O3 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzenesulfonamide, 3-chloro-4-fluoro-N-[4-[[6-[1-[(1-methyl-4-
piperidinyl)methyl]-1H-indol-5-yl]-4-pyrimidinyl]amino]phenyl]-
MF C31 H30 Cl F N6 O2 S
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, N-(3-bromophenyl)-2-methyl-6-(4-methylphenyl)-
MF C18 H16 Br N3




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Piperidinecarboxamide, N-[4-[[6-[2-(1-methylethoxy)phenyl]-4-
pyrimidinyl]amino]phenyl]-, (2S)-
MF C25 H29 N5 O2


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Propenamide, 3-(4-fluorophenyl)-N-[4-[(2-methyl-6-phenyl-4-
pyrimidinyl)amino]phenyl]-
MF C26 H21 F N4 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, 6-[1-(4-chlorophenyl)cyclobutyl]-N-[3-methoxy-4-(4-methyl-1H-imidazol-1-yl)phenyl]-2-methyl-
MF C26 H26 Cl N5 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzenesulfonamide, 2-methoxy-4,5-dimethyl-N-[3-[(6-phenyl-4-pyrimidinyl)amino]phenyl]-
MF C25 H24 N4 O3 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Methanesulfonamide, N-[2-bromo-5-[(6-phenyl-4-pyrimidinyl)amino]phenyl]-
MF C17 H15 Br N4 O2 S



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Acetamide, N-[3-[(6-phenyl-4-pyrimidinyl)amino]phenyl]-2-(2,3,5-
trimethylphenoxy)-
MF C27 H26 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1-Piperazinecarboxamide, 4-[2-methyl-6-[(4-methylphenyl)amino]-4-pyrimidinyl]-N-(3,4,5-trimethoxyphenyl)-
MF C26 H32 N6 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, 6-(2,3-dihydro-1,4-benzodioxin-6-yl)-N-[4-(trifluoromethyl)phenyl]-
MF C19 H14 F3 N3 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, 6-(2-methoxyphenyl)-N-[3-[(methylsulfonyl)methyl]phenyl]-
MF C19 H19 N3 O3 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Formic acid, compd. with N-[4-[[6-[1-[3-(diethylamino)propyl]-1H-indol-5-yl]-4-pyrimidinyl]amino]phenyl]-4-fluorobenzenesulfonamide (1:1)
MF C31 H33 F N6 O2 S . C H2 O2

CM 1




CM 2



10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 3-Pyridazinecarboxylic acid, 1,6-dihydro-6-oxo-,
4-[(2-methyl-6-phenyl-4-pyrimidinyl)amino]phenyl ester
MF C22 H17 N5 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzamide, 4-[[6-(2-methoxyphenyl)-4-pyrimidinyl]amino]-N-phenyl-
MF C24 H20 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyridinecarboxylic acid, 3-[(6-phenyl-4-pyrimidinyl)amino]phenyl ester
MF C22 H16 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, N-(2,5-dimethoxyphenyl)-2-methyl-6-(4-methylphenyl)-,
hydrochloride (1:1)
MF C20 H21 N3 O2 . Cl H



● HCl

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Butanoic acid, 3-methyl-, 4-[(6-phenyl-4-pyrimidinyl)amino]phenyl ester
MF C21 H21 N3 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzamide, N-[(3-methylphenyl)methyl]-3-[[6-(4-methylphenyl)-4-
pyrimidinyl]amino]-
MF C26 H24 N4 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Pyrazole-4-carboxylic acid, 5-ethyl-1-[6-[[4-(trifluoromethoxy)phenyl]amino]-4-pyrimidinyl]-, methyl ester
MF C18 H16 F3 N5 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzamide, 4-[[6-(4-fluorophenyl)-4-pyrimidinyl]amino]-N-(phenylmethyl)-
MF C24 H19 F N4 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 2-Pyridinecarboxamide, 6-(aminomethyl)-N-[4-[[6-(4-dibenzofuranyl)-4-pyrimidinyl]amino]phenyl]-
MF C29 H22 N6 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzoic acid, 2-hydroxy-5-[(6-phenyl-4-pyrimidinyl)amino]-
MF C17 H13 N3 O3
CI COM




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Formic acid, compd. with 2,6-difluoro-N-[4-[[6-[4-[2-(1-pyrrolidinyl)ethoxy]phenyl]-4-pyrimidinyl]amino]phenyl]benzenesulfonamide (1:1)
MF C28 H27 F2 N5 O3 S . C H2 O2

CM 1




CM 2

O=CH-OH

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Acetic acid, 2-(4-nitrophenoxy)-, 3-[(6-phenyl-4-pyrimidinyl)amino]phenyl
ester
MF C24 H18 N4 O5



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Morpholineethanamine, N-[4-[6-[[4-(trifluoromethoxy)phenyl]amino]-4-pyrimidinyl]-2-pyridinyl]-
MF C22 H23 F3 N6 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Benzimidazole-6-carboxamide, N-[3-[(6-phenyl-4-pyrimidinyl)amino]phenyl]-
MF C24 H18 N6 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, N-[4-(trifluoromethoxy)phenyl]-6-[2-[[4-(trifluoromethoxy)phenyl]amino]-1H-imidazol-1-yl]-
MF C21 H14 F6 N6 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1H-Isoindole-5-carboxamide, 2-butyl-2,3-dihydro-N-[4-[(2-methyl-6-phenyl-4-pyrimidinyl)amino]phenyl]-1,3-dioxo-
MF C30 H27 N5 O3



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzamide, N-[2-(1-cyclohexen-1-yl)ethyl]-4-[(6-phenyl-4-
pyrimidinyl)amino]-
MF C25 H26 N4 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Methanone, [1,4'-bipiperidin]-1'-yl[3-[[6-(3-methylphenyl)-4-
pyrimidinyl]amino]phenyl]-
MF C28 H33 N5 O



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzamide, N-[(4-methoxyphenyl)methyl]-3-[[6-(4-methylphenyl)-4-
pyrimidinyl]amino]-
MF C26 H24 N4 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN

IN Formic acid, compd. with 2,4-difluoro-N-[4-[[6-[3-methyl-4-[(1-methyl-4-piperidinyl)methoxy]phenyl]-4-pyrimidinyl]amino]phenyl]benzenesulfonamide (1:1)

MF C30 H31 F2 N5 O3 S . C H2 O2

CM 1




CM 2

O=CH-OH

10/817,328


L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 1,3-Benzodioxole-5-carboxamide, N-[4-[[2-methyl-6-(4-morpholinyl)-4-pyrimidinyl]amino]phenyl]-
MF C23 H23 N5 O4



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN 4-Pyrimidinamine, N-[3-(methylsulfonyl)phenyl]-6-(2-phenoxyphenyl)-
MF C23 H19 N3 O3 S




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN INDEX NAME NOT YET ASSIGNED
MF C32 H24 N4 O4

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

10/817,328

L2 42 ANSWERS REGISTRY COPYRIGHT 2009 ACS on STN
IN Benzamide, N-[2-[[4-[(6-[1,1'-biphenyl]-3-yl-4-
pyrimidinyl)amino]phenyl]ethylamino]ethyl]-4-butoxy-
MF C37 H39 N5 O2



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED

10/817,328

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.96

1.18

STN INTERNATIONAL LOGOFF AT 08:58:17 ON 25 NOV 2009